

# Remote condenser for Close control CG 010-065

 9.4-56.2 kW

 HFC 407C

## Technical features

- 7 sizes.
- Versions:  
BLN and LN.
- Air flow:  
Horizontal and vertical.

## Accessories and options

- Head pressure control.



## Technical data CG

Model CG BLN		010	015	020	025	035	045	055	065
Capacity	kW	9,4	12,1	18,4	24,4	30,0	41,8	56,2	65,0
Air flow	kW	0,9	0,8	1,8	1,7	1,9	4,2	4,0	3,9
Length	mm	780	780	1.380	1.380	1.105	2.005	2.005	2.005
Width	mm	555	555	555	555	828	828	828	828
Height	mm	362	362	362	362	428	428	428	428
Weight	kg	18,0	19,4	34,0	38,8	46,6	76,0	85,3	93,2
Sound power level	dB(A)	75	75	78	79	75	78	78	78

Fans									
Qty		1	1	2	2	1	2	2	2
Diameter	mm	400	400	400	400	500	500	500	500
Fans speed	rpm	1.430	1.430	1.430	1.430	1.300	1.300	1.300	1.300
Power input	W	200	200	400	400	680	1.360	1.360	1.360

Model CG BLN		010	015	020	025	035	045	055	065
Capacity	kW	7,7	9,7	15,0	18,7	24,2	35,9	43,2	48,7
Air flow	kW	0,7	0,6	1,4	1,3	1,3	2,9	2,7	2,6
Length	mm	780	780	1.380	1.380	1.105	2.005	2.005	2.005
Width	mm	555	555	555	555	828	828	828	828
Height	mm	362	362	362	362	428	428	428	428
Weight	kg	18,0	19,4	34,0	38,8	46,6	76,0	85,3	93,2
Sound power level	dB(A)	65	65	68	68	67	70	70	70

Fans									
Qty		1	1	2	2	1	2	2	2
Diameter	mm	400	400	400	400	500	500	500	500
Fans speed	rpm	940	940	940	940	915	915	915	915
Power input	W	160	160	320	320	270	540	540	540

Air temperature= 32°C.  
 Condensing temperature dew= 52°C.  
 S.H.= 25 K.  
 S.C.= 3 K.  
 \* Refer to UNI EN 13487.